NATIONAL Pumps & Boilers
Pumps & Boilers

Company name:	national pumps and boilers	
Created by:		
Phone:	01539 729395	
Email:	info@nationlapumpsandboilers.co.uk	
Date:	02/01/2024	
Client:		
Client Number:		
Contact:		

## Project: Reference Number:


Description	
DPI/0-2.5b/1/ G/D.900-B/V-5/-	B/02B/SD-1
🎽 🍋 🖕 🗯 🗄 🗄	
Product No.: 96611525	Note! Product picture may differ from actual product
The transmitter is made of 1.440	14 stainless steel.
Liquid:	
Liquid temperature range:	-10 70 °C
Technical:	
Approvals:	EAC
Pressure differential functionality	
Pressure relative functionality (Y	
Flow functionality (Yes/No):	N
Temperature functionality (Yes/N	No): N
Minimum measuring pressure:	
Maximum measuring pressure:	2.5 bar
Installation:	
Range of ambient temperature:	-40 70 °C
Electrical data:	
Electrical data: Enclosure class (IEC 34-5):	IP55
Electrical data: Enclosure class (IEC 34-5): Length of cable:	IP55 0.9 m
Enclosure class (IEC 34-5): Length of cable: Minimum rated voltage dc:	0.9 m 12.00 V
Enclosure class (IEC 34-5): Length of cable:	0.9 m
Enclosure class (IEC 34-5): Length of cable: Minimum rated voltage dc:	0.9 m 12.00 V
Enclosure class (IEC 34-5): Length of cable: Minimum rated voltage dc: Maximum rated voltage dc:	0.9 m 12.00 V
Enclosure class (IEC 34-5): Length of cable: Minimum rated voltage dc: Maximum rated voltage dc: Others:	0.9 m 12.00 V 30.00 V
Enclosure class (IEC 34-5): Length of cable: Minimum rated voltage dc: Maximum rated voltage dc: Others:	0.9 m 12.00 V 30.00 V



Company name:	national pumps and boilers	
Created by:		
Phone:	01539 729395	
Email:	info@nationlapumpsandboilers.co.uk	
Date:	02/01/2024	
Client:		
Client Number:		
Contact:		
_		

## Project: Reference Number:

		C
Description	Value	
General information:		
Product name:	DPI/0-2.5b/1/ G/D.900-B/V-5/-B/02B/SD-1	
Product No:	96611525	
EAN number:	5700834481567	
Technical:		
Approvals:	EAC	
Pressure differential functionality = Yes/No:	Y	
Pressure relative functionality (Yes/No):	Ν	
Flow functionality (Yes/No):	Ν	
Temperature functionality (Yes/No):	Ν	
Minimum measuring pressure:	0 bar	ę
Maximum measuring pressure:	2.5 bar	
Installation:		
Range of ambient temperature:	-40 70 °C	
Liquid:		
Liquid temperature range:	-10 70 °C	
Electrical data:		
Enclosure class (IEC 34-5):	IP55	
Length of cable:	0.9 m	
Minimum rated voltage dc:	12.00 V	
Maximum rated voltage dc:	30.00 V	
Others:		
Danish VVS No.:	475273025	
Swedish RSK No.:	6010204	
Finnish LVI No.:	4534505	





NATIONAL Pumps & Boilers	Company name: Created by: Phone: Email: Date:	national pumps and boilers 01539 729395 info@nationlapumpsandboilers.co.uk 02/01/2024			
Project: Reference Number:	Client: Client Number: Contact:				
96611525 DPI/0-2.5b/1/ G/D.900-B/V-5/-B/02B/SD-1					

